




HERZPACK(SHANGHAI)MACHINERY CO.,LTD

✉ Cellphone/whatsapp: 0086-13621716724


E: info@herzpack.com

web: www.herzpack.com

🏠 Lane 1800, Xuefu Road, JINSHAN AREA, SHANGHAI, CHINA, 201508



HERZPACK(SHANGHAI)MACHINERY CO.,LTD



**P**ROFESSIONAL  
EFFECTIVE, INNOVATIVE

# Introduction:



HERZPACK(SHANGHAI)MACHINERY CO.,LTD WAS ESTABLISHED IN 2008. WE BEGIN WITH THE MANUFACTURING ANILOX ROLLER AND CORRUGATED ROLLERS. AFTER YEARS EFFORTS, WE HAD BEEN WELL KNOWN IN THE PRINTING & PACKING FIELD IN CHINA, AMERICA, MID-EAST, RUSSIA, INDIA... AT THE SAME TIME, HERZPACK HAD BEGAN NEW PRODUCTS, SUCH AS ANILOX ROLLER ULTRASONIC CLEANING MACHINE, PLATE MOUNTING MACHINE, PAPER SHEET CUTTER, PAPER BAG HANDLE PASTING MACHINE, FLEXO PRINTING MACHINE AND CORRUGATED CARTON LINES.....OUR TARGET IS TO BE THE COMPREHENSIVE MANUFACTURER & SERVICE IN THE FIELD.


## Vision:

TO BE THE LEADER AND COMPREHENSIVE SERVICE IN INNOVATION, QUALITY AND SERVICE FOR LABEL, PAPER BAG, PAPER CUP AND CORRUGATED CARTON PRINTING & PACKING.

## Mission:

TO PROVIDE BEST ENVIRONMENT FOR OUR STAFF FOR LIVING AND SKILL GROWING UP. TO BE A PROFESSIONAL PERSON IN THE FIELD.

TO PROVIDE BEST PRODUCTS, QUALITY AND SERVICE FOR OUR CUSTOMERS.



## Main Products

CERAMIC ANILOX ROLLER  
 ANILOX SLEEVE  
 EMBOSSING ROLLER  
 CHROMED ANILOX ROLLER  
 CORRUGATED ROLLER  
 PLATE MOUNTING MACHINE  
 ANILOX ROLLER ULTRASONIC CLEANING MACHINE  
 SERVICE PRODUCTS

Comprehensive Professional Effective

# Ceramic anilox roller

METRIAL : 45# STEEL ( OR ACCORDING TO YOUR NEEDS )

SURFACE MATERIAL:AL2O3, CR2O3

SURFACE THICKNESS:0.25~0.3MM


SURFACE TREATMENT : THERMAL SPRAYING

SURFACE HARDNESS:HRC70~72

SCREEN LINE:80~1800LPI

MAX LENGTH:4000MM

DIAMETER:25-600MM



60° hexagon




45° Helix



ART



Cobra



## Application:

- FLEXOGRAPHIC PRINTING, OFFSET PRINTING, GRAVURE PRINTING
- LABEL, ENVELOPE, PAPER FORMS, PAPER BAG, CORRUGATED CARTON
- PE FILM, COATED PAPER PRODUCTS, GLAZING, WALL PAPER ECT.
- OPTIONAL FILM, RELEASE FILM,LITHIUM BATTERY DIAPHRAGM, ALUMINUM FOIL



# Anilox Sleeve





HERZPACK(SHANGHAI)MACHINERY CO.,LTD




## Embossing Roller



## Chrome Anilox Roller



# Corrugated Roller



## Flute Type

Type	D	K	A	C	CB	B	BE	E	F	G	N	O	Other
Flute	UV	UV	UV	UV	UV	UV	UV	UV	UV	UV	UV	UV	Any
Corrugated Counts /300mm	20	26	34	41	45	50	66	93	136	185	200	267	design
	±1	±3	±3	±3	±3	±4	±3	±6	±20	±12	±15	design	design
Height (mm)	7.2~7.5	5.5~6.5	4.5~5.0	3.5~4.0	3.0~3.5	2.5~3.0	1.9~2.1	1.1~2.0	0.6~0.8	0.5~0.65	0.4~0.5	0.25~0.35	design
Shrinkage	1.45~1.49	1.49~1.51	1.51~1.59	1.44~1.51	1.42~1.49	1.36~1.42	1.4~1.41	1.29~1.39	1.22~1.26	1.20~1.25	1.55~design	1.14~design	design

## Parameter






Type	T.C. Corrugated Roller	Hard Chrome Corrugated Roller
Base Material	50CrMo	50CrMo
Surface Material	Tungsten Carbide	Hard Chrome
Surface Treatment	Thermal Spraying	Galvan Nization
Surface Thickness	0.06~0.08mm	0.1~0.15mm
Surface Hardness	HV1250~1400	HV≥600
Characteristics	Hard surface, wear resistance and long life	Short manufacturing cycle and low price
Guarantee	25000000~35000000m	8000000~15000000m
Tooth type	UV	
Metallographic porosity	<0.1	



# Doctor Blade Chamber System

## Advantage

1. BETTER WORKING ENVIRONMENT
2. STABLE QUALITY
3. HIGHER OPERATIONAL EFFICIENCY
4. EASY TO CLEAN AND MAINTAIN
5. LOWER COSTS
6. ADJUST INK VISCOSITY BY HEATING OR COOLING



# Plate Mounting Machine



Model	Max Length (mm)	Max perimeter (mm)	Machine size (mm)			Weight (KG)
HZ-P-320	320	800	920	600	1650	160
HZ-P-650	650	800	1050	600	1650	200
HZ-P-1000	1000	1200	1500	600	1650	280
HZ-P-1200	1200	1200	1700	600	1650	320
HZ-P-1300	1300	1200	1800	700	1650	340
HZ-P-1500	1500	1200	2100	700	1650	400
HZ-P-1800	1800	1200	2400	700	1650	460

Special orders with special size accepted

# Anilox Roller Ultrasonic Cleaning Machine



Model	Number of towns	Ultrasonic power	Ultrasonic frequency	Heating power	Number of cleaning	Max length of roller	temperature
HZ-C-320	16pcs	960W	40KHZ	1000W	2pcs	350mm	20~100°C
HZ-C-450	18 pcs	1080 W	40 KHZ	1000 W	2 pcs	450 mm	20~100°C
HZ-C-650	24 pcs	1440 W	40 KHZ	1000 W	2 pcs	660 mm	20~100°C
HZ-C-850	27 pcs	1620 W	40 KHZ	2000 W	2 pcs	860 mm	20~100°C
HZ-C-1000	33 pcs	1980 W	40 KHZ	2000 W	2 pcs	1060 mm	20~100°C
HZ-C-1200	39 pcs	2340 W	40 KHZ	2000 W	2 pcs	1280 mm	20~100°C
HZ-C-1300	42 pcs	2520 W	40 KHZ	2000 W	2 pcs	1360 mm	20~100°C
HZ-C-1500	48 pcs	2800 W	40 KHZ	3000 W	2 pcs	1560 mm	20~100°C
HZ-C-1800	60 pcs	3600 W	40 KHZ	3000 W	2 pcs	1860 mm	20~100°C

Special orders with special size accepted



# Service Products



Doctor Blade



Die Cutting Anvil Cover




Feeding Wheel



Mini Proofer



Anilox Roller Cleaning Brush



Grinding Wheel




PP Strap



Slotting knife



PE Strap



Sheet cutting knife



Paper Handles